



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/639,442	08/13/2003	Benad Goldwasser	A-9430	5756

20741 7590 05/09/2007  
HOFFMAN WASSON & GITLER, P.C  
CRYSTAL CENTER 2, SUITE 522  
2461 SOUTH CLARK STREET  
ARLINGTON, VA 22202-3843

EXAMINER
----------

HOEKSTRA, JEFFREY GERBEN

ART UNIT	PAPER NUMBER
----------	--------------

3736

MAIL DATE	DELIVERY MODE
-----------	---------------

05/09/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/639,442	<b>Applicant(s)</b> GOLDWASSER, BENAD	
	<b>Examiner</b> Jeffrey G. Hoekstra	<b>Art Unit</b> 3736	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

#### Status

- 1) ☒ Responsive to communication(s) filed on 28 February 2007.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

#### Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

#### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

#### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

#### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                  | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Notice of Amendment***

1. In response to the amendment filed on 02/28/2007, amended claim(s) 1, 11, and 16 is/are acknowledged. The current rejections of the claim(s) 1-16 is/are *withdrawn*.

The following new and reiterated grounds of rejection are set forth:

### ***Information Disclosure Statement***

2. The information disclosure statement (IDS) submitted on 04/04/2007 is acknowledged. The submission is in compliance with the provisions of 37 CFR 1.97 and 1.98. Accordingly, the examiner is considering the information disclosure statements.

### ***Claim Objections***

3. Claims 1, 11, and 16 are objected to because of the following informalities: the positive recitation of "diagnostic functionality, and therapeutic functionality" appears to contain a typographical and/or grammatical error. The Examiner notes Applicant may have intended it to read ""diagnostic functionality and therapeutic functionality". Appropriate correction is required.

### ***Claim Rejections - 35 USC § 103***

4. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
5. Claims 1-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Choy (US 3,895,637) in view of DeMarco (US 5,353,807).

6. For claims 1-16, Choy discloses the claimed gastrointestinal apparatus (10) and method of use thereof, comprising:

- a guidewire (17) configured for introduction through a rectum of a subject having a distal stop (32);
- a gastrointestinal tool (18) having a chamfer and a bore (as best seen in Figures 1-4) for sliding over said guidewire and said gastrointestinal tool comprising a catheter (column 1 lines 5-10) having a lumen for introduction of medical instruments and fluids (column 1 lines 10-16 and 48-54) or an image viewing device (column 1 lines 10-16); and
- an inflatable device or sleeve (19) operably equipped for inflation via a channel (16) and configured to pull said guidewire away from said rectum and through a colon of a subject (column 1 lines 48-54).

7. Choy discloses the claimed gastrointestinal apparatus and methods of use thereof except for explicitly disclosing a diagnostic or therapeutic tool comprising a cutting, sampling, and/or magnetic device. DeMarco teaches a gastrointestinal apparatus comprising a catheter with cutting, sampling, and magnetic devices (column 1 lines 5-53). It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the gastrointestinal traversing apparatus as taught by Choy, with the gastrointestinal traversing apparatus as taught by DeMarco for the purpose of increasing the efficacy of a gastrointestinal traversing apparatus to treat a patient by configuring it with a variety of service, therapeutic, and/or diagnostic devices.

***Response to Arguments***

8. Applicant's arguments with respect to claims 1-16 have been considered but are moot in view of the new ground(s) of rejection.

***Conclusion***

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey G. Hoekstra whose telephone number is (571)272-7232. The examiner can normally be reached on Monday through Friday, 8:00 a.m. to 5:00 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max F. Hindenburg can be reached on (571)272-4726. The fax phone

Art Unit: 3736

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JH *JH*

*Mat H. Lindsey*  
MATTHEW L. LINDSEY  
PATENT EXAMINER  
ART UNIT 3736